



A HISTORY OF BEING AHEAD OF OUR TIME

## PRODUCT DESCRIPTION: WATERHOG PREMIER

Product # 295

### GENERAL SPECIFICATIONS:

<b>SURFACE:</b>	<b>Fiber Type:</b>	Solution-dyed polypropylene, outstanding light fastness
	<b>Weight:</b>	36 ozs./sy.
	<b>Nub Height:</b>	3/8"
	<b>Design:</b>	Diamond
<b>BACKING:</b>	<b>Type:</b>	100% SBR Rubber (20% Recycled content)
	<b>Thickness:</b>	.160" - Border
		.190" - Nubs
		.050" - Between Nubs
	<b>Durometer:</b>	60
<b>Tensil:</b>	1100	

### FEATURES:

- Reinforced face NUBS: Face NUBS are reinforced with rubber to resist crushing, maintaining high performance and extending product life.
- "Water Dam" border: Border is designed to hold water and dirt on mat to minimize slip hazards and floor damage around perimeter of the mat.
- Raised NUB surface: Removes and traps dirt and moisture and holds it on mat below shoe level so it is not tracked in.
- TriGrip backing: Gripping action minimizes movement on most carpets and improves traction on hard surfaces.
- Rubber backing: Lays flat, won't crack or curl like vinyl mats.
- Indoor/Outdoor: Durable polypropylene face suitable for indoor or outdoor use. Polypropylene fiber system dries quickly preventing fading and rotting.
- Easy to clean: Just vacuum or hose off and hang to dry.
- Colorfast: Solution dyed for excellent light and wet fastness.
- Not adversely effected by salt or ice melt.
- Should not be used in areas exposed to animal fats (kitchens) or petroleum products.
- Passes Flammability Standard DOC-FF-1-70
- Anti-static rating averaging 1.2 KV with a maximum average voltage of 1.63 KV as measured by the AATCC 134 Electrostatic Propensity Test and meets IBM's minimum standard for electrical resistance (NFPA99). Waterhog mats are safe for use in computer rooms and around electronic equipment.

340 Cross Plains Blvd. - Dalton, GA 30721

1-800-241-4696 - fax 706-277-3170 - e-mail mats@andersenco.com